

Royal Wood Floors Goes Over Problems, Causes and Cures for Home Owners That Want Beautiful Hard Wood Floors

Royal Wood Floors continues to cover problems that make hard wood floors less than beautiful for Milwaukee home owners - Series 7

MILWAUKEE, WI, USA, November 29, 2016 /EINPresswire.com/ -- Royal Wood Floors specializes in hard wood floor refinishing and installing hard wood floors in the greater Milwaukee area and has been highly successful for over 15 years. "After servicing or installing a new floor, we make a point of providing the following as a special series of tips for every customer in order to ensure that their floors are protected and provide that stunning hard wood beauty for as long as possible", says Keith Allman who owns Royal Wood Floors. He continues to say, "there are a variety of problems that can affect the beauty and life of hard wood floors and once these are isolated they can be handled properly so that the hard wood lasts for years the way it should". Different types of hard wood floor damage can often times be dealt with through hard wood floor restorations. It is important that residents be educated on it. In this article we want to discuss Sanding Marks and what is called "Shellout or Dishing of Springwood" to better educate the homeowners that want to keep their hard wood floors beautiful.





Sanding Marks

Sanding marks are basically sanding imperfections such as scratches, drum marks, dishouts, swirl marks and stop marks. These are sometimes caused by problems with the big machine, the sanding drum being out of alignment, the actual drum being out of round and where there are hard spots on the sanding drum itself. Incorrect sand paper installation or running the machine in the wrong direction can also cause this. Other causes can include a variety of situations such as using a

sanding machine with worn pulleys or using a machine with bad bearings in the fan housing. Using a machine where the wheels are dirty or out of alignment, poor splice or seams on the abrasive can cause this or damage to the abrasive that is used. This is also caused by there being dirt or grit on the buffers abrasive or using an abrasive that is too aggressive on the buffer itself. Sometimes this is caused by bad workmanship where there is nothing wrong with the machine or equipment at all.

The cure for this problem is to determine if the source of the situation is the equipment. Then, fix the issue. Check the abrasive for any imperfections. You can try hand scraping the area to remove deep scratches or where there may be drum or stop marks. Another technique is to do a light sanding with a big machine on the affected areas at a 7-15 degree angle, then go over the floor again, this time straight.

Shellout-Dishing of Springwood
This is uneven wear between segments
of annual rings. This can also be known
as "Dishout". This can be baused by
heavy traffic or repeated sliding of heavy
furniture. It can also be caused by water
used in maintenance and tracked onto
the floor. This is seen especially in
peeled-face engineered products under
desks with heavy foot and caster wear.



The cure for this is to sand and refinish the floor. Then you must implement better maintenance practices. You should change casters to wide, non-marking rubber ones if you can.

For more information about this experienced and professional hardwood floor restoration and new installation company, or to schedule repairs by these wood floor refinishing contractors, or learn about custom wood styles or the company's inlay and medallion installation services, phone Keith Allman at 414-378-2066. Easy estimates and appointments are currently available through the company's website, http://royalwoodfloor.com/. The company provides top craftsmanship and cares for many types of custom and domestic wood. Visit the company's website for examples of previous work.

Keith Allman Royal Wood Floors 414-378-2066 email us here



This press release can be viewed online at: http://www.einpresswire.com

Disclaimer: If you have any questions regarding information in this press release please contact the company listed in the press release. Please do not contact EIN Presswire. We will be unable to assist you with your inquiry. EIN Presswire disclaims any content contained in these releases. © 1995-2016 IPD Group, Inc. All Right Reserved.